

Parenteral Nutrition: Current Practices and Innovations

Presented as a Webcast
Tuesday, June 16, 2015

Planned and conducted by the American Society of Health-System Pharmacists and the
UNC Eshelman School of Pharmacy.



No part of this webcast may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, microfilming, and recording, or by any information storage and retrieval system, without written permission from the American Society of Health-System Pharmacists and the UNC Eshelman School of Pharmacy.

Parenteral Nutrition: Current Practices and Innovations

W E B C A S T I N F O R M A T I O N

What is a webcast? A webcast brings the presentation to you – at your work place or in your home. You view and hear the presentations in “real time” complete with slides and video of the speakers and have the opportunity to ask questions at the end of the activity. Continuing pharmacy education (CPE) credits earned through participation in webcasts qualify as **live CPE credit**. Please join the webcast at least 5 minutes before the scheduled start time for important activity announcements.

How do I register? You should have received a confirmation email with your enrollment code and instructions for accessing the educational program via ASHP new eLearning site. If you need assistance, contact ASHP at eLearning@ashp.org.

How do I process my CPE? After completing this webcast, you will process your CPE online and print your statement of credit at elearning.ashp.org/my-activities. To process your CPE, you will also need your NABP e-Profile ID, birth month, and birth day. Complete CPE processing instructions are available in this handout.

How do I ask a question of the presenters during the webcast? Please send your questions to pgr@unc.edu. The speaker will answer as many questions as possible at the conclusion of the activity. Responses to technical questions will be sent to the email address you provided.

Why doesn't the presentation appear? Make sure you move your cursor into the black video viewing pane to press the play arrow.

Why can't I hear audio? Check your volume controls and whether or not the device you are using has speakers. There are three areas you may find volume controls:

- Player volume: look for the volume icon inside the player.
- Adjust the volume slider and confirm that mute is not selected.
- External speakers (optional): check whether or not the speakers have a volume control dial or knob that you can use to increase or decrease the volume level.

What do I need to participate in the webcast?

For the best presentation viewing experience, we recommend a broadband internet or Wi-Fi connection. The webcast will appear as a regular flash video within a web browser. If you are unsure if this will work on your computer, try viewing any flash video within a web browser (such as YouTube) as a test. No external applications are necessary.

Alternately, an **Audio Only option** is available for those who are unable to launch the webcast stream. Users call in using a toll free number and follow along with the slides in this handout. After opening the appropriate month in Your Enrollments, click on the Live Webcast link for call-in information.

Can I access my subscription and view the live webcast and archived version on a mobile device?

Yes, the entire subscription is accessible on iPad and iPhone.

Parenteral Nutrition: Current Practices and Innovations

Beverly Holcombe, Pharm.D., BCNSP, FASHP

Clinical Practice Specialist

American Society for Parenteral and Enteral Nutrition

Silver Spring, Maryland

Beverly J. Holcombe, Pharm.D., BCNSP, FASHP, is Clinical Practice Specialist with the American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.).

She received her Bachelor of Science degree from the University of North Carolina (UNC) – Chapel Hill School of Pharmacy and her Doctor of Pharmacy degree from the University of Tennessee Health Sciences Center in Memphis. Dr. Holcombe then completed an ASHP Research and Education Foundation Pharmacy Nutrition Support Services Fellowship at the University of Tennessee in Memphis.

Prior to joining A.S.P.E.N. Dr. Holcombe was a Clinical Specialist in the Pharmacy Department at UNC Health Care and Clinical Professor, UNC Eshelman School of Pharmacy. Dr. Holcombe's specialty practice at UNC Health Care was in nutrition support and she was a member of the adult nutrition support service for more than 25 years. During her tenure at UNC she participated in both didactic and experiential education for pharmacy students and post-graduate trainees. She continues to facilitate classroom education experiences for UNC pharmacy students.

Dr. Holcombe has held leadership roles in ASHP including serving on the Executive Committee of the Section of Clinical Specialists and Scientists. She has held leadership positions with the Board of Pharmacy Specialties and was chair of the first Specialty Council on Nutrition Support Pharmacy Practice. Throughout her career Dr. Holcombe has been a leader in A.S.P.E.N. Her leadership roles include serving as Secretary and a member of the Board of Directors. Dr. Holcombe has also served on numerous A.S.P.E.N. committees and task forces. Most recently she served as chair of the A.S.P.E.N. Nutrition Product Shortage Subcommittee and was a member of the Parenteral Nutrition Safety Task Force. The work of this task force culminated in the publication of the A.S.P.E.N. Parenteral Nutrition Consensus Safety Recommendations.

Dr. Holcombe has authored numerous publications on various enteral and parenteral nutrition therapies, the role of the pharmacist in providing nutrition support, parenteral nutrition safety and strategies for managing shortages of parenteral nutrition components. She served as a co-editor for the A.S.P.E.N. Parenteral Nutrition Handbook, 2nd edition published in 2014 and an associate editor for the A.S.P.E.N. Nutrition Support Practice Manual, 2nd edition and the first edition of A.S.P.E.N.'s The Science and Practice of Nutrition Support: A Case-based Core Curriculum.

Dr. Holcombe is recognized locally, nationally and internationally for her expertise in nutrition support. She has provided presentations at ASHP Midyear Clinical meetings, ASHP state affiliate conferences, A.S.P.E.N. Clinical Nutrition Week, local chapters of A.S.P.E.N. and international congresses on parenteral and enteral nutrition.

DISCLOSURE STATEMENT

In accordance with the Accreditation Council for Continuing Medical Education's Standards for Commercial Support and the Accreditation Council for Pharmacy Education's Guidelines for Standards for Commercial Support, ASHP Advantage requires that all individuals involved in the development of activity content disclose their relevant financial relationships. A commercial interest is any entity producing, marketing, re-selling, or distributing health care goods or services consumed by, or used on, patients. A person has a relevant financial relationship if the individual or his or her spouse/partner has a financial relationship (e.g., employee, consultant, research grant recipient, speakers bureau, or stockholder) in any amount occurring in the last 12 months with a commercial interest whose products or services may be discussed in the educational activity content over which the individual has control. The existence of these relationships is provided for the information of participants and should not be assumed to have an adverse impact on presentations.

All faculty and planners are qualified and selected by ASHP and UNC Eshelman School of Pharmacy and are required to disclose any relevant financial relationships with commercial interests. ASHP and UNC Eshelman School of Pharmacy identify and resolve conflicts of interest prior to an individual's participation in development of content for an educational activity.

- The faculty and planners report no financial relationships relevant to this activity.

CONTINUING EDUCATION ACCREDITATION



The American Society of Health-System Pharmacists and the UNC Eshelman School of Pharmacy are accredited by the Accreditation Council for Pharmacy Education as providers of continuing pharmacy education. This activity provides 1 hour (0.1 CEU) of continuing pharmacy education credit (ACPE activity # 0204-9999-15-405-L01-P).

Attendees may immediately print their official statements of continuing pharmacy education (CPE) credit at the ASHP eLearning site at elearning.ashp.org following the activity.

METHODS AND FORMAT

This is a live web-based activity consisting of audio, video, presentation slides, and an activity evaluation tool. Participants must participate in the entire presentation and complete the course evaluation to receive continuing pharmacy education credit. Participants may print their official statements of continuing pharmacy education credit immediately following the activity.

TARGET AUDIENCE

This continuing pharmacy education series was planned to meet the needs of pharmacists in a variety of settings, and it would be particularly beneficial for pharmacists, clinical specialists, pharmacy managers, leaders, and educators who are interested in learning about new and emerging trends for improving patient care.

LEARNING OBJECTIVES

After attending this knowledge-based educational activity, participants should be able to

- Describe system-based strategies to improve the safety of parenteral nutrition therapy.
- Describe management strategies for conserving and rationing parenteral nutrition components during shortages.
- Design a parenteral nutrition formulation for an adult to include appropriate dosing of macro-and micronutrients.
- Compare the composition and dosing regimens for intravenous fat emulsion products approved for use in the United States.
- Compare the advantages and disadvantages of compounded and commercially-available parenteral nutrition admixtures.

Instructions for Processing CPE online at <http://elearning.ashp.org/>



Per ACPE, CPE credit must be claimed **no later than 60 days** from the date of the live activity or completion of a home study activity. All CPE credit processed on the eLearning site will be reported directly to CPE Monitor. To claim pharmacy credit, you must have your NABP e-profile ID, birth month, and birth day. If you do not have a NABP e-Profile ID, go to www.MyCPEMonitor.net for information and application.

The **ASHP eLearning** site allows participants to obtain statements of CPE conveniently and immediately using any computer with an internet connection. To obtain CPE statements, please visit: <http://elearning.ashp.org/>

1. Click on **My Learning Activities** or **Log In / Register**. You will be prompted to log in using your e-mail address and password.
If you have not logged in to any of the ASHP's sites before and are not a member of ASHP, you will need to set up an account by clicking on **Register** and following the instructions.
2. Once logged in to the site, click on **My Learning Activities**.
3. You will see a field where you can enter an enrollment code. You should have received the enrollment code when you purchased your subscription. Enter your code in the text box and click **Redeem**.
4. If your code was redeemed successfully, you should see enrollments appear for each month that you have access to.
5. Click on the title of the presentation that you are claiming for CPE.
6. After completing any remaining requirements for that program, click **Claim** in the credit profile box on the right-hand side. Please check to make sure you are selecting the LIVE credit profile.
To claim credit, you will need to enter your NABP e-Profile ID, birth month, and birth day. Once you have entered this information the first time, it will auto fill in the future.
7. Review the information for the credit you are claiming, and fill in your NABP e-Profile ID, birth month, and birth day. If the information all appears to be correct, check the box at the bottom and click **Claim**. You should receive a message if there are any problems claiming your credit.
8. After successfully completing the processing of all your sessions, you may print your certificate by clicking on **Print** in each session block. If you require a reprint of a certificate, return here to print a duplicate. Please note that printed certificates may not be necessary because your CPE credit will be reported directly to CPE Monitor.

NEED HELP? Contact ASHP at eLearning@ashp.org

Parenteral Nutrition: Current Practices and Innovations

Stay Up to Date on the Most Current and Relevant Topics in Health-System Pharmacy Practice. Below is the UNC Pharmacy Grand Rounds Webcast Schedule.

- July 14, 2015** [Cytomegalovirus Infection in Solid Organ Transplant: The Role of the Pharmacist](#)
Ruth-Ann Lee, Pharm.D., CPP
- Aug 11, 2015** **Safety Fatigue**
John M Kessler, B.S. Pharm., Pharm. D.
(Activity information coming soon)
- Sept 8, 2015** **Kids Can Be Foodies Too! Overview on Pediatric Parenteral and Enteral Nutrition**
Daniel Lui, Pharm.D.
(Activity information coming soon)
- Oct 13, 2015** **Always Something New! Updates in Pharmacologic Management of Diabetes**
Caron Misita, PharmD, BCPS, CDE, CPP
(Activity information coming soon)
- Nov 10, 2015** **Role of Adjunct Analgesics and Other Non-Opioid Strategies in the Management of Chronic Pain**
Timothy J. Ives, Pharm.D., M.P.H., BCPS, FASHP, FCCP, CPP
(Activity information coming soon)
- Dec 15, 2015** **Pharmacist Involvement in Transitions of Care**
Jamie Cavanaugh, PharmD, CPP, BCPS
(Activity information coming soon)
- Jan 12, 2016** **Atrial Fibrillation with a Focus on New Oral Anticoagulants**
Zack Deyo, Pharm.D., BCPS, CPP
(Activity information coming soon)
- Feb 9, 2016** **Update on the Management of Parkinson's Disease**
Shauna S. Garris, Pharm.D., BCPP, BCPS
(Activity information coming soon)
- Mar 8, 2016** **Acute Blood Pressure Management in Acute Stroke**
Denise H. Rhoney, Pharm.D., FCCP, FCCM, FNCS
(Activity information coming soon)
- Apr 12, 2016** **Preparing your Pharmacy Department for Compliance with USP <800>**
Lindsey Amerine, Pharm.D., M.S., BCPS
(Activity information coming soon)

Parenteral Nutrition: Current Practices and Innovations

Beverly Holcombe, Pharm.D., BCNSP, FASHP
Clinical Practice Specialist
American Society for Parenteral and Enteral Nutrition
Silver Spring, Maryland



Disclosures


- The faculty and planners report no financial relationships relevant to this activity.

Objectives

- Describe system-based strategies to improve the safety of parenteral nutrition therapy.
- Describe management strategies for conserving and rationing parenteral nutrition components during shortages.
- Design a parenteral nutrition formulation for an adult to include appropriate dosing of macro-and micronutrients.
- Compare the composition and dosing regimens for intravenous fat emulsion products approved for use in the United States.
- Compare the advantages and disadvantages of compounded and commercially-available parenteral nutrition admixtures.

Introduction

- Parenteral nutrition (PN) is a complex therapy
- Pharmacists with no specialty training responsible for PN
- Challenges for pharmacists
 - Who wants this order "PN per pharmacy"?
 - Can I add this medication to the PN?
 - We're getting a new CPOE system what components are required for the PN order?
 - Can we use adult trace elements for neonates?



Parenteral Nutrition:

Improving Safety



Case Study: Preterm infant requiring PN

Prescribe	<ul style="list-style-type: none"> PN with zinc X mcg/100 mL
Order Review & Data Entry	<ul style="list-style-type: none"> Zinc dose correctly converted to mcg/kg to match compounder template Zinc dose erroneously entered in compounder as mg, not mcg—1000-fold error
Data Entry Check	<ul style="list-style-type: none"> Error not noted during work check and PN label check
Compound	<ul style="list-style-type: none"> PN prepared with dozens of vials of zinc sulfate; replenished syringe on compounder 10 times Error not noted during manual syringe check
Administration	<ul style="list-style-type: none"> Numbers, not units, reported at label check
Error Identified	<ul style="list-style-type: none"> Unusual PN preparation reported
Patient Outcome	<ul style="list-style-type: none"> Treated for zinc overdose Death

PN-Associated Errors

- Complex therapy
 - May contain more than 20 ingredients
 - Classified as high-alert medication
 - Complications may occur as result of the therapy or the process
- Only 58% of organizations have precautions in place to prevent errors and patient harm.¹
- 44% of survey respondents did not track PN errors.²

1. ISMP. ISMP Medication Safety Alert. 2012; 7:1-4.
2. Boullata JI et al. *JPEN*. 2013; 73:212-232.

PN Safety Consensus Recommendations

- Standardized PN order format and template.
- Standardized electronic orders (CPOE) with direct interface to automated compounding device (ACD).
- Standardized label format and template.

Ayers P et al. *JPEN*. 2014; 38:296-333.

Parenteral Nutrition Order Template: Adult Patient.

Patient Information Patient name _____ Medical record number _____ Birth date/age _____ _____ Patient location _____ Allergies _____ Height and drying weight (kg) _____ (in) Drying Wt _____ (kg) Diagnoses (Indication(s)) for PN _____ Vascular access device/location CVC type _____ Location _____ Administration schedule _____	
Base Formula Amino acids _____ g Dextrose _____ g IV Fat emulsion _____ g	Amount/Day g g g
Electrolytes Sodium phosphate _____ mmol Sodium chloride _____ mEq Sodium acetate _____ mEq Potassium phosphate _____ mmol Potassium chloride _____ mEq Potassium acetate _____ mEq Magnesium sulfate _____ mEq Calcium gluconate _____ mEq	mmol mEq mEq mmol mEq mEq mEq
Vitamins, Trace Elements, Additives Multi-component vitamins _____ mL Multi-component Trace elements _____ mL Other Additives (eg, individual vitamins or trace elements, cyclones, regular insulin) as clinically appropriate and compatible	mL mL
PN Instructions Total volume _____ mL Infusion rate _____ mL/hr start and stop times _____ Cycle information _____ Prescriber and contact information _____	

Printed with permission. Ayers P et al. *JPEN*. 2013; 38:296-333.

PN Safety Recommendations

- Criteria to identify and evaluate pharmacists competent to review and evaluate orders and preparation of PN.
- Implement soft and hard limits on ACD.
- Develop and implement weight-based limits on ACD.
- Monitor and review ACD alert overrides.

Ayers P et al. *JPEN*. 2014; 38:296-333.

PN Safety Recommendations

- Increased training and competency assessment regarding <797> and compounding sterile products.
- Procedures and protocols to decrease of catheter-associated bloodstream infections.
- Use checklists and sign off sheets for critical aspects of the PN process

Ayers P et al. *JPEN*. 2014; 38:296-333.

Parenteral Nutrition:

Managing Shortages



Do you feel like Old Mother Hubbard? Is your PN cupboard bare?



<http://inkspiredmusings.blogspot.com/2012/05/old-mother-hubbard-nursery-rhyme-time.html>

- Are you currently experiencing a shortage of one or more PN components?
- In the last 5 years have you had to reduce the dose of a component from a patient's PN?
- Have you observed patient harm or suboptimal patient outcome as a result of PN component shortage?

PN Shortage Management Strategies

http://www.nutritioncare.org/Guidelines_and_Clinical_Resources/Product_Shortage_s/Product_Shortage_Management/

Nutrient Deficiencies Associated with Trace Element Shortages

- Zinc
 - 3 premature infants with dermatitis (2012)
 - 4 infants- 3 with dermatitis, 1 death (2013)
 - 1 adult with biochemical deficiency (2014)
 - 1 adult with impaired wound healing (2014)
- Selenium
 - 5 pediatric patients with biochemical deficiency (2012)
- Copper
 - 1 adult with anemia and leukopenia (2013)
 - 1 adult with anemia (2014)

When is my cupboard full? (When is a shortage resolved?)

- Product available through normal supply channels
- No allocations, direct orders or drop shipments
- Able to procure sufficient product to prescribe and administer full dose daily
- FDA considers shortage resolved



PN Component Dosing Strategies After Shortages Resolve

- Rationing and conservation strategies are intended to be used only during shortages.
- Resume prescribing and administering the normal/usual/full dose daily of components to patients that require them.
- The lack of observed adverse events/deficiencies and the potential cost savings associated with "partial" dosing should not be the impetus to continue less than optimal dosing.

Parenteral Nutrition:

Adult Dosing Guidelines



PN Macronutrient Adult Dosing Guidelines: Amino Acids

Patient Population	Dose
Stable Patients	0.8-1 g/kg/d
Critically Ill	1.5-2 g/kg/d
Severe malnutrition, acute or chronic kidney injury-with or without renal replacement therapies, hepatic disease, trauma, obese, burns, etc.	See Clinical Guidelines/ Scientific literature

Adapted from Ayers P, ed. A.S.P.E.N. Parenteral Nutrition Handbook, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2014.
Adapted from Mueller CM, ed. A.S.P.E.N. Adult Nutrition Support Core Curriculum, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2012.

PN Macronutrient Adult Dosing Guidelines: Energy

Patient Population	Usual Dose
Stable patient	20-35 kcal/kg/d
Critically ill	25- 30 kcal/kg/d
Critically ill obese	<25 kcal/kg/d

Ayers P, ed. A.S.P.E.N. Parenteral Nutrition Handbook, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2014.
Mueller CM, ed. A.S.P.E.N. Adult Nutrition Support Core Curriculum, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2012.

PN Macronutrient Adult Dosing Guidelines: Dextrose

Patient Population	Usual Dose
All patients	70-85% non-protein energy Maximum 7 g/kg/d (4-5 mg/kg/min) Minimum 50 g/d
Stable patient	4-5 mg/kg/min
Critically ill	≤4 mg/kg/min

Adapted from Ayers P, ed. A.S.P.E.N. Parenteral Nutrition Handbook, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2014.
Adapted from Mueller CM, ed. A.S.P.E.N. Adult Nutrition Support Core Curriculum, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2012.

PN Macronutrient Adult Dosing Guidelines: Fat Emulsion

Patient Population	Usual Dose
All patients	15-30% non-protein energy Maximum 2.5 g/kg/d Prevent essential fatty acid deficiency 1-2% energy as linoleic acid and 0.5% as α-linolenic acid (Soybean oil emulsion 100 g/week)
Stable patients	1 g/kg/d
Critically ill	<1 g/kg/d

Adapted from Ayers P, ed. A.S.P.E.N. Parenteral Nutrition Handbook, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2014.
Adapted from Mueller CM, ed. A.S.P.E.N. Adult Nutrition Support Core Curriculum, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2012.

Daily Electrolyte Guidelines for Adults

Nutrient	Requirement	Salts Used in PN
Calcium	10-15 mEq	Gluconate*, chloride
Magnesium	8-20 mEq	Sulfate*, chloride
Phosphorus	20-40 mmol	Sodium, potassium, glycerophosphate***
Sodium	1-2 mEq/kg**	Chloride, acetate, phosphate
Potassium	1-2 mEq/kg**	Chloride, acetate, phosphate
Acetate	As needed to maintain acid-base balance	Sodium, potassium
Chloride	As needed to maintain acid-base balance	Sodium, potassium

* Preferred salt for use in PN admixtures.
** Multiple salts of these may be used to provide total of 1-2 mEq/kg
*** Imported product, not FDA approved.

Adapted from Ayers P, ed. A.S.P.E.N. Parenteral Nutrition Handbook, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2014.

U.S. IV Adult Multivitamins Recommended Daily Dose

Component	Dose per 10 mL
A (retinol)	1 mg
D (ergocalciferol)	5 mcg
E (dl-alpha tocopheryl acetate)	10 mg
K (phyloquinone)*	150 mcg
C (ascorbic acid)	200 mg
B-1 (thiamin)	6 mg
B-2 (riboflavin)	3.6 mg
Niacinamide	40 mg
Dexpanthenol	15 mg
B-6 (pyridoxine)	6 mg
B-12 (cyanocobalamin)	5 mcg
Biotin	60 mcg
Folic Acid	600 mcg

* One manufacturer provides product that is phyloquinone-free.

Adult IV Multi-Trace Element Products

Trace Elements	A.S.P.E.N. Recommended Daily Adult Requirements*	Multitrace** 4&5 (per mL)	Multitrace** 4&5 Concentrate (per mL)	Addamel N*** (per mL)
Zinc	2.5-5 mg	1 mg	5 mg	0.65 mg
Copper	0.3-0.5 mg	0.4 mg	1 mg	0.13 mg
Manganese	0.06-0.1 mg	0.1 mg	0.5 mg	0.027 mg
Chromium	10-15 mcg	4 mcg	10 mcg	1 mcg
Selenium	20-60 mcg	20 mcg	60 mcg	3.2 mcg
Iron	Not routinely	-	-	0.11 mg
Molybdenum	added	-	-	1.9 mcg
Iodine	in the	-	-	0.013 mg
Fluorine	U.S.	-	-	0.095 mg

*Printed with permission from A.S.P.E.N. Vanek V, et al. *Nutr Clin Pract.* 2012; 27:440-491.
 ** American Regent. US products
 ***Available under temporary importation; not FDA approved.

A non-critically ill adult patient with normal hepatic and renal function requires PN for a prolonged post-op ileus. The order is "pharmacy to manage PN".

Using the scale below assess your knowledge and confidence to order an initial PN for this patient.

1
2
3
4
5

I have no clue
I'll try but need help
I can do this

Parenteral Nutrition:

Fat Emulsions on the Horizon



Intravenous Fat Emulsions: Functions

- Source of essential fatty acids
- Alternative to carbohydrates as a source of non-protein energy
- Standard soy-based oil (SO) IV fat emulsions (IVFE) meet the requirement to prevent EFAD in patients receiving PN



Courtesy of Kathy Gura, PharmD, BCNSP, FASHP, FPPAG, FASPEN

Alternative Oil-based Emulsions

- Used outside the U.S. for many years
- Alternative oils
 - Olive
 - Medium chain
 - Fish
 - Combinations
- Products approved in U.S.
 - Mixture of olive oil and soybean oil emulsion (4:1)
 - Clinolipid (Clinoleic outside U.S.)

What's Different

- Phytosterol content
- Vitamin E content
- Inflammatory characteristics due to oil source


Courtesy of Kathy Gura, PharmD, BCNSP, FASHP, FPPAG, FASPEN

Comparison of IV Fat Emulsions

OIL	Intralipid	Omegaven	Clinoleic/ Clinolipid	SMOFlipid
Soybean	100%		20%	30%
MCT				30%
Olive			80%	25%
Fish		100%		15%
Glycerol (%)	2.25	2.5	2.5	2.5
Egg Phospholipid (%)	1.2	1.2	1.2	1.2
Phytosterols (mg/L)	439 ± 5.7	3.66	274 ± 2.6	207
Vitamin E (mg/L)	38 mg	150-296 mg	32 mg	163-225 mg

Courtesy of Kathy Gura, PharmD, BCNSP, FASHP, FPPAG, FASPEN

Inflammatory Characteristics of Oils



Reprinted with permission from A.S.P.E.N. Vanek V et al. *Nutr Clin Pract.* 2012;27:150-192.

A.S.P.E.N. Position Statement

Based on substantial biochemical and clinical evidence, alternative oil-based IVFEs may have the following effects when compared to standard SO IVFEs:

- Less pro inflammatory effects
- Less immune suppression
- More antioxidant effects
- May potentially be a better alternative energy source

Vanek V et al. *Nutr Clin Pract.* 2012;27:150-192.

Clinical Use of Alternative Oil IVFE

- Original IVFE use/approval energy and essential fatty acids; safety
- Challenging to get new products approved in U.S.
- Difficult to demonstrate specific therapeutic indication for alternative oil IVFE

Status of Alternative Oil IVFE in U.S.

- Soy-oil based IVFEs continue to be the standard of care
- Mixture of olive and soybean oils emulsion (4:1) approved but not on market
 - Approved for use in adults
 - Not for pediatric patients and neonates
- Fish oil-based IVFE on compassionate use for parenteral nutrition-associated liver disease (PNALD)

Parenteral Nutrition:

Commercially-available products vs. Compounded admixtures



Commercially-Available PN Products

- Industry-manufactured
- Fixed combination of amino acids and dextrose
 - May include IVFE
 - May include fixed amount of electrolytes
- Components separated by internal membrane (multi-chamber bag)
- Membrane must be broken and components mixed prior to administration
- NOT complete, ready-to-hang; NOT “premixed”

Commercially-Available PN Products



Dextrose/Amino Acids



Dextrose/Amino acids/fat

Considerations: Cost

- Multiple analyses
- Different variables
 - Salaries
 - Equipment and supplies
 - Need for additional electrolytes
- Individual institution must conduct cost analysis considering the many factors associated with PN therapy
 - Small institutions
 - Low PN volume

Considerations: Safety

- Potential to reduce errors
 - Simplified compounding
 - Potential to reduce catheter-associated bloodstream infections
- Safety concerns
 - Additive quantity and compatibility questions
 - Not complete-must add vitamins and trace elements
 - Membrane must be broken and mixed
 - Labelling in % concentration and ions

Considerations: Clinical Use

- Useful during PN component shortages
- Fixed ratio of macronutrients not appropriate for all adult patients
 - Obesity
 - Critical care
- Fixed electrolyte content not optimal for all patients


Commercially-Available PN: Bottom Line

- Offer advantages with regard to compounding
- May reduce costs –institution specific analysis
- May reduce catheter-associated bloodstream infections
- Useful during shortages
- Fixed macronutrients and electrolytes may not meet needs of adult patients

Take Home Messages


- Pharmacists with no specialty training are responsible for various aspects of the PN process.
- The safety of PN therapy can be improved by evaluating the system and implementing a standardized process.
- Providing PN during shortages requires vigilance and continuous assessment of the entire process to optimize patient care and avoid patient harm.
- The decision to use commercially-available or traditional compounded PN requires a thorough and detailed analysis of all aspects of the PN process and system.

ASHP PN Resource Center



<http://www.pnsafeuse.org/home>

American Society for Parenteral and Enteral Nutrition



http://www.nutritioncare.org/guidelines_and_clinical_resources/

Stay tuned for Q&A!

- Email questions to pgr@unc.edu
- Complete the evaluation and process your CPE online at elearning.ashp.org/my-activities
- Next webcast: Tuesday, July 14, Noon ET
 - Cytomegalovirus Infection in Solid Organ Transplant
 - Presented by Ruth-Ann Lee, Pharm.D., CPP

Parenteral Nutrition: Current Practices and Innovations

SELF – ASSESSMENT QUESTIONS

The presentation self-assessment questions are listed here for your convenience. Note the correct answers for future reference.

1. Parenteral nutrition-associated medication errors
 - a. Can be eliminated by using an automated compounder.
 - b. Rarely result in patient harm or suboptimal patient outcomes.
 - c. Can occur at any point in the process from prescribing to monitoring.
 - d. Are routinely documented in medication error reporting systems.

2. Measures to improve the safety of parenteral nutrition therapy include
 - a. Implementing an electronic standardized order format.
 - b. Eliminating weight-based dose warnings on the automated compounder.
 - c. Developing institution-specific compatibility and stability guidelines.
 - d. Eliminating credentialing of providers who prescribe PN.

3. Strategies to safely manage a shortage of parenteral nutrition component include
 - a. Purchasing as much product as possible.
 - b. Administering neonatal-specific products to adults.
 - c. Compounding in a single, central location.
 - d. Extending beyond-use-dating for PN components.

Parenteral Nutrition References and Readings

- Ayers P, Holcombe B, Plogsted S, Guenter P, eds. A.S.P.E.N. Parenteral Nutrition Handbook, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2014.
- Mueller CM, ed. A.S.P.E.N. Adult Nutrition Support Core Curriculum, 2nd ed. A.S.P.E.N., Silver Spring, MD, 2012.
- Ayers P, Adams S, Boullata J, Gervasio J, Holcombe B, Kraft M, Marshall N, Neal T, Sacks G, Seres D, Worthington P, Guenter P. A.S.P.E.N. Parenteral nutrition safety consensus recommendations: translation into practice. *Nutr Clin Pract*. 2014; 29:277-282.
- Boullata J, Gilbert K, Sacks G, Labossiere RJ, Crill C, Goday P, Kumpf V, Mattox TW, Plogsted S, Holcombe B, A.S.P.E.N. A.S.P.E.N. Clinical Guidelines: Parenteral Nutrition Ordering, Order Review, Compounding, Labeling, and Dispensing. *JPEN J Parenter Enteral Nutr*. 2014; 38:334-377.
- Ayers P, Adams S, Boullata J, Gervasio J, Holcombe B, Kraft M, Marshall N, Neal T, Sacks G, Seres D, Worthington P and A.S.P.E.N. Board of Directors A.S.P.E.N. Parenteral nutrition safety recommendations. *JPEN J Parenter Enteral Nutr*. 2014; 38:296-333.
- Mirtallo J, Canada T, Johnson D, et al: Task Force for the Revision of Safe Practices for Parenteral Nutrition. Safe practices for parenteral nutrition (Erratum in: *JPEN J Parenter Enteral Nutr*. 2006; 30(2):177). *JPEN J Parenter Enteral Nutr*. 2004; 28(6): S39–S70.
- A.S.P.E.N. Board of Directors and Task Force on Parenteral Nutrition Standardization: Kochevar M, Guenter P, Holcombe B, Malone A, Mirtallo J. A.S.P.E.N. statement on parenteral nutrition standardization. *JPEN J Parenter Enteral Nutr* 2007; 31:441–448.
- Mirtallo JM. The drug shortage crisis. *JPEN J Parenter Enteral Nutr*. 2011; 35:433.
- Palm E, Dotson B. Copper and zinc deficiency in a patient receiving long-term parenteral nutrition during a shortage of parenteral trace element products. *JPEN J Parenter Enteral Nutr*. September 4, 2014, doi: 0148607114549255
- Davis, C, Javid PJ, Horslen S. Selenium deficiency in pediatric patients with intestinal failure as a consequence of drug shortage. *JPEN J Parenter Enteral Nutr*. 2014; 38:15-118.
- Franck AJ. Zinc deficiency in a parenteral nutrition–dependent patient during a parenteral trace element product shortage. *JPEN J Parenter Enteral Nutr*. 2014; 38:637-639.
- Corrigan M, Kirby DF. Impact of a national shortage of sterile ethanol on a home parenteral nutrition practice: a case series. *JPEN J Parenter Enteral Nutr*. 2012; 36:476-480.
- Pramyothin P, Kim DW, Young LS, Wichabnsawakun S, Apovian CM. Anemia and leukopenia in a long-term parenteral nutrition patient during a shortage of parenteral trace element products in the united states. *JPEN J Parenter Enteral Nutr*. 2013; 37:425-429.
- Centers for Disease Control and Prevention. Notes from the field: zinc deficiency dermatitis in cholestatic extremely premature infants after a nationwide shortage of injectable zinc—Washington, DC, December 2012 [published correction appears in *MMWR Morb Mortal Wkly Rep*. 2013 Mar; 1562(10):196]. *MMWR Morb Mortal Wkly Rep*. 2013 Feb 22; 62(7):136-137.
- Ruktanonchai D, Lowe, M, Norton SA, et al. Zinc deficiency-associated dermatitis in infants during a nationwide shortage of injectable zinc - Washington, DC, and Houston, Texas, 2012-2013. [published (correction appears in *MMWR Morb Mortal Wkly Rep*. 2014 Jan 31; 63(4):82]. *MMWR Morb Mortal Wkly Rep*. 2014 Jan 17; 63(2):35-7.

Institute for Safe Medication Practices. Survey links PN shortages to adverse patient outcomes. *Medication Safety Alert!* 2014; 34(2) February 13, 2014.

Holcombe B. Parenteral nutrition product shortages: impact on safety. *JPEN J Parenter Enteral Nutr.* 2012; 36:2suppl,44S-47S.

Chan LN. Iatrogenic malnutrition: a serious public health issue caused by drug shortages. *JPEN J Parenter Enteral Nutr.* 2013; 37:702-704.

Gumpper KF. Drug shortages and training. *JPEN JPEN J Parenter Enteral Nutr.* 2012; 36:2 suppl: 42S-43S.

Hassig TB, McKinzie BP, Fortier CR, Taber D. Clinical management strategies and implications for parenteral nutrition drug shortages in adult patients. *Pharmacotherapy.* 2014; 34:72-84.

Guenter P, Holcombe B, Mirtallo JM, Plogsted SW, DiBaise JK; Clinical Practice and Public Policy Committees, American Society for Parenteral and Enteral Nutrition. Parenteral nutrition utilization: response to drug shortages. *JPEN J Parenter Enteral Nutr.* 2014; 38:11-12.

Kaur K, O'Connor AH, Illig SM, Kopcza KB. Drug shortages as an impetus to improve parenteral nutrition practices. *Am J Health Syst Pharm.* 2013; 70:1533-7.

Mirtallo JM, Holcombe B, Kochevar M, Guenter P. Parenteral nutrition product shortages: the A.S.P.E.N. strategy. *Nutr Clin Pract.* 2012; 27:385-391.

Hanson C, Thoene M, Wagner J, Collier D, Lecci K, Anderson-Berry A. Parenteral nutrition additive shortages: the short-term, long-term and potential epigenetic implications in premature and hospitalized infants. *Nutrients.* 2012;4:1977-1988.

MacKay M, Anderson C. Physical compatibility of sodium glycerophosphate and calcium gluconate in pediatric parenteral nutrition solutions. *JPEN J Parenter Enteral Nutr.* 0148607114528982, first published on April 2, 2014.

Hall JW. Safety, cost and clinical considerations for the use of premixed parenteral nutrition. *Nutr Clin Pract.* 2015; first published on April 10, 2015 as doi:10.1177/0884533615578459.

Miller S. Commercial premixed parenteral nutrition: Is it right for your institution? *Nutr Clin Pract.* 2009. 24; 459-469.

Gervasio J. Total nutrient Admixtures (3-in-1): Pros vs Cons for adults. *Nutr Clin Pract.* 2015; first published on April 8, 2015 as doi:10.1177/0884533615578458.

Drug Shortages: Public Health Threat Continues, Despite Efforts to Help Ensure Product Availability. GAO-14-194: Published: February 10, 2014. Publicly Released: February 10, 2014.

2013 Drug Shortages Summit: Evaluating Long-term Solutions. Released March 25, 2014.